

CHAPTER 12

SERVICING

<i>Figure</i>	<i>Title</i>	<i>Page</i>
–	Lubricants	12.1

Intentionally Blank

FIGURE AND INDEX NUMBER	PART NUMBER	DESCRIPTION	PARTS AVAIL	QTY PER ASSY
LUBRICANTS				
12-1-1	A257-1	Grease – Moly Grease 101	X	A/R
2	A257-2	Gear Oil – 201 (SAE 90, 1-gallon container)	X	A/R
	A257-2LT	Gear Oil – 201 (SAE 90, 1-lt/qt container)	X	A/R
3	A257-3	Grease – Aeroshell 14 (MIL-G-25537, 14-oz container)	X	A/R
4	A257-4	Oil – Type “A” ATF (Dexron III)	X	A/R
5	A257-5	Grease – Sta-Lube 3120 (water-resistant)	X	A/R
		Grease – Lubrimatic 11402 (water-resistant)	X	A/R
6	A257-6	Grease – Fuelube (fuel-resistant)	X	A/R
		Grease – EZ Turn	X	A/R
7	A257-7	Dry Film Lube – Lubri-Kote Type A1040CR	X	A/R
8	A257-8	Rubber Lube – International P-80	X	A/R
9	A257-9	Anti-Seize – Loctite 767	X	A/R
10	A257-10	Spark Plug Lube – Champion 2612	X	A/R
		Spark Plug Lube – T-556 Unison Industries (Autolite brand)	X	A/R
11	A257-12	Grease – Mobilgrease 28 (MIL-G-81322, 12.5-oz container)	X	A/R
	A257-12.1oz	Grease – Mobilgrease 28 (MIL-G-81322, 1-oz container)	X	A/R
12	A257-16	Engine Oil (SAE 20W-50, mineral oil for engine break-in. Approved for 0-90° F ambient, substitute -24 as req’d.)	X	A/R
13	A257-18	Lube – O-Ring (Dow Corning no. 55)	X	A/R
14	A257-19	Valve Lube and Sealant (Dow Corning no. 111)	X	A/R
	A257-19.25oz	Valve Lube and Sealant (Dow Corning no. 111)	X	A/R
15	A257-21	Lube – Petrolatum (Panef Corp. no. P-16)	X	A/R
16	A257-22qt	Gear Oil – Synthetic	X	A/R
17	A257-24	Engine Oil (SAE 50, mineral oil for engine break-in. Approved for > 60° F ambient.)	X	A/R

NOTES

Intentionally Blank